Acetyl-NF-KB p65 (Lys314/Lys315) Monoclonal Antibody

Order Information

Catalog#	BGT-ANT-63721
Size/Concentration	100μl

Description

NFKB1 (MIM 164011) or NFKB2 (MIM 164012) is bound to REL (MIM 164910), RELA, or RELB (MIM 604758) to form the NFKB complex. The p50 (NFKB1)/p65 (RELA) heterodimer is the most abundant form of NFKB. The NFKB complex is inhibited by I-kappa-B proteins (NFKBIA, MIM 164008 or NFKBIB, MIM 604495), which inactivate NFKB by trapping it in the cytoplasm.

Specification

Aliases ： NFKB3; RELA; TF65; Transcription factor p65; p65; NFkB

Entrez GeneID ： 5970

Swissprot ： Q04206

clone ： 10H7

Host/Isotype ： Mouse IgG1

Antibody Type ： Primary antibody

Storage ： Store at 4°C short term. Aliquot and store at -20°C long term. Avoid freeze/thaw cycles.

Species Reactivity ： Human,Mouse,Rat

Immunogen ： Synthetic peptide conjugated to KLH.


Formulation ： Purified antibody in PBS with 0.05% sodium azide,0.5%BSA and 50% glycerol.

Application


IHC	1/50-1/100

For Research Only

Application Key:WB - Western Blot | **IHC** - Immunohistochemistry | **ICC** - Immunocytochemistry | **FCM** - Flow Cytometry | **ELISA** - Enzyme-linked Immunosorbent Assay | **IP** - Immunoprecipitation



Immunohistochemistry analysis of paraffin-embedded Human Breast Carcinoma Tissue using Acetyl-NF-KB p65 (Lys314/Lys315) antibody. High-pressure and temperature Sodium Citrate pH 6.0 was used for antigen retrieval.



Immunohistochemical analysis of paraffin-embedded Human tonsils using Acetyl-NF-KB p65 (Lys314/Lys315) antibody.High-pressure and temperature Sodium Citrate pH 6.0 was used for antigen retrieval.

For Research Only

Application Key:WB - Western Blot | **IHC** - Immunohistochemistry | **ICC** - Immunocytochemistry | **FCM** - Flow Cytometry | **ELISA** - Enzyme-linked Immunosorbent Assay | **IP** - Immunoprecipitation